Nedis | Edition 2024

Chargers & Cables

111111

Overview 2024

Nedis makes your life smarter, simpler, healthier and more fun. With products for every activity and every phase of life!

Nedis.com





Content

| ntroduction | 4 |
|--------------------------|----|
| Wall Chargers | 6 |
| Wall Chargers with cable | 14 |
| Car Chargers | 18 |
| Car Chargers with cable | 22 |
| Cables | 24 |
| Nireless chargers | 27 |
| Powerbanks | 34 |

Fast charging

Being able to quickly charge your phone or tablet can mean the difference between hours of carefree use or running around to find the nearest restaurant or bar for a power outlet. Fast charging is an increasingly popular feature that allows consumers to charge their device in just a fraction of the time it takes the old-fashioned method. But not all products use the same type of fast charging, and not all chargers support the different standards.

Fast charging technologies require a special chip in the charger, device or even cable and fill the battery much faster. Charging a smartphone 50% takes only 15 minutes, depending on the technology.


How does fast charging work?

There are two common standards in fast charging. USB-C Power Delivery is a fast charging technology supported by iOS/Apple and Android/Google/Samsung devices. The other standard is Quick Charge from Qualcomm[®].

With Quick Charge, the charger and device have an integrated chip. With Power Delivery, the cable also has one. The chip differs depending on the charging technology. The maximum charging profile is stored on it. It also controls the charging process and makes it safer: if the temperature is too high, for example, it reduces the charging rate. All elements with chip compare their profile and thus together determine the maximum charging power.

USB-C PD can charge even larger devices such as tablets and laptops with up to 100W of power. All you need is a suitable wall charger and USB-C cable.

How much power does a device need?



Charging power is depending on the device

What is GaN Wall Chargers?

Gallium nitride, or GaN, is a material that's starting to be used for semiconductors in chargers. The main thing about GaN when it comes to chargers is that it produces less heat. Less heat means components can be closer together, so a charger can be smaller than ever before - while maintaining all the power capabilities and safety standards.





New in our Nedis assortment are GaN chargers.

New in our assortment are a 65 Watt and a 100 Watt GaN charger. Both chargers bring the convenience of fast, powerful, and safe charging into an ultra-compact design. Ideal for travel, home or office, you'll be able to charge your laptop, tablet, smartphone, or other USB-C devices, with a single powerful charger.

Using innovative GaN technology, the charger provides up to 65W or 100W of power for any compatible device. Built-in protection keeps your devices safe from overcurrent and overvoltage damage. USB-C Power Delivery certification ensures fast and reliable performance with your devices.

Recently we have added dual USB-C GaN charger which allows you to charge two tablets or smartphones at once or a USB device like Nintendo Switch at the same time. This 45 Watt charger works with USB Power Delivery technology for charging your device faster and more efficiently.





Universal Wall Charger to charge a smartphone or tablet

USB charger with one USB-A port, suitable for devices such as smartphones or tablets. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution.

| Output current2.4 AInput Voltage100 - 240 VACMax power consumption12 WattPackaging dimensions140 x 55 x 30 mm | No. of Ports | 1x USB-A |
|---|-----------------------|------------------|
| Max power consumption 12 Watt | Output current | 2.4 A |
| | Input Voltage | 100 - 240 VAC |
| Packaging dimensions140 x 55 x 30 mm | Max power consumption | 12 Watt |
| | Packaging dimensions | 140 x 55 x 30 mm |

● WCHAU242ABK

○ WCHAU242AWT



Universal Wall Charger to charge a smartphone or tablet

USB charger with two USB-A ports to charge up to two devices at the same time. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution.

| No. of Ports | 2x USB-A |
|-----------------------|-----------------------|
| Output current | 2x 2.4 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 24 Watt |
| Packaging dimensions | 140 x 55 x 40 mm |
| • WCH | AU484ABK 🔿 WCHAU484AW |

7 - Mobility overview 2024

Universal Wall Charger to charge 4 device at once

Charge four smartphones or tablets with this Nedis 4-port USB wall charger and charge them simultaneously, without requiring a PC or notebook.

| No. of Ports | 4x USB-A |
|-----------------------|-----------------|
| Output current | 4x 2.4 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 24 Watt |
| Packaging dimensions | 140 x 80 x 40mm |



Universal Wall Charger 20W fast charging with Power Delivery

This Nedis 20 W USB-C[™] fast mini charger with power delivery allows you to charge any USB and USB-C[™] device. The USB charger allows you to charge devices without a PC or a notebook and is very convenient for use in the office, at home or while travelling

| Technology | USB-C Power Delivery |
|----------------------------------|----------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 20 Watt |
| Supported Fast charge Technology | PD3.0 20W |
| Packaging dimensions | 140 x 55 x 40 mm |

Responsible Packaging

• WCHAU481ABK

◯ WCHAU481AWT

○ WCMPD20W100WT



Mini USB-C Charger 30W fast charging with Power Delivery

This Nedis 30 W USB-C[™] fast mini charger with power delivery allows you to charge any USB and USB-C[™] device. The USB charger allows you to charge devices without a PC or a notebook and is very convenient for use in the office, at home or while travelling

| Technology | USB-C Power Delivery |
|----------------------------------|----------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 30 Watt |
| Supported Fast charge Technology | PD3.0 30W |
| Packaging dimensions | 140 x 55 x 40 mm |

○ WCMPD30W100WT



Universal Wall Charger with power delivery and quick charge

This 45 W USB-C Wall Charger allows you to charge smartphones, tablets, Nintendo Switch and many other USB-C devices without requiring a PC or notebook. It can also power smaller USB-C notebooks and offers you a Smart Charge 3.0 USB-A connection for simultaneous charging.

| Technology | USB-C Power Delivery |
|----------------------------------|----------------------|
| No. of Ports | 1x USB-A, 1x USB-C |
| Output current | 1x 2.4 A, 1x 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 57 Watt |
| Supported Fast charge Technology | PD3.0 45W |
| Packaging dimensions | 140 x 80 x 40mm |

WCPD45W100BK



Universal Wall Charger with power delivery and quick charge

This Nedis wall charger with its advanced Power Delivery technology USB-C PD 3.0 connections allow for faster simultaneous high-speed charging of compatible devices at higher voltages. This charger can also power smaller devices like smartphones, tablets, Nintendo Switch and many other USB-C devices.

| Technology | USB-C, Quick Charge |
|----------------------------------|------------------------------|
| No. of Ports | 1x USB-A, 1x USB-C |
| Output current | Max 1x 2.25 A, Max 1x 3.25 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 65 Watt |
| Supported Fast charge Technology | PD3.0 65W, QC3.0 18W |
| Packaging dimensions | 140 x 55 x 40 mm |

WCPD65W130BK



Universal GaN Wall Charger for laptop, tablet & smartphone

This Nedis USB-C GaN wall charger allows you to charge two tablets or smartphones at once or a USB device like Nintendo Switch at the same time. This 45 Watt charger works with USB Power Delivery technology for charging your device faster and more efficiently.

| Technology | GaN, USB-C Power Delivery + Quick Charge |
|----------------------------------|--|
| No. of Ports | 2x USB-C |
| Output current | Max 2x 3.00 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 45 Watt |
| Supported Fast charge Technology | PD3.0 100W |
| Packaging dimensions | 140 x 80 x 50 mm |

OWCGPD45W100WT



Universal GaN Wall Charger for laptop, tablet & smartphone

Charge smartphones, tablets, laptops, Nintendo Switch and many other USB-C devices with this Nedis 65W Wall Charger. The GaN technology assures you a stable charging procedure with better heat dissipation and faster charging for multiple devices.

| Technology | GaN, USB-C Power Delivery + Quick Charge |
|----------------------------------|--|
| No. of Ports | 1x USB-A, 2x USB-C |
| Output current | Max 1x 3.0 A, Max 2x 3.25 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 65 Watt |
| Supported Fast charge Technology | PD3.0 65W, QC3.0 18W |
| Packaging dimensions | 140 x 80 x 40mm |

WCGPD65W100BK



Universal GaN Wall Charger for laptop, tablet & smartphone

This Nedis 100 W USB-C PD 3.0 wall charger allows you to power USB-C notebooks. Its advanced Power Delivery technology USB-C PD 3.0 connections allow for faster simultaneous high-speed charging of compatible devices at higher voltages.

| Technology | GaN, USB-C Power Delivery |
|----------------------------------|---------------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 5.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 100 Watt |
| Supported Fast charge Technology | PD3.0 100W |
| Packaging dimensions | 140 x 80 x 40mm |

○ WCGPD100W100WT

11 - Mobility overview 2024



Universal Wall Charger with quick charge

Charge smartphones, tablets, Nintendo Switch and many other USB-C devices, without requiring a PC or notebook, with this Nedis 18 W QC 3.0 wall charger.

| Technology | Quick Charge |
|----------------------------------|------------------|
| No. of Ports | 1x USB-A |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 18 Watt |
| Supported Fast charge Technology | QC3.0 18W |
| Packaging dimensions | 140 x 55 x 30 mm |

● WCQC302ABK



Universal Wall Charger with quick charge

Charge smartphones, tablets, Nintendo Switch and many other USB-C devices with this Nedis 30 W QC 4+ wall charger, without requiring a PC or notebook.

| Technology | Quick Charge |
|----------------------------------|------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 32 Watt |
| Supported Fast charge Technology | QC4.0 32W |
| Packaging dimensions | 140 x 55 x 40 mm |

● WCQC402ABK

Responsible Packaging



USB-C Wall Charger 20W fast charging with Power Delivery

Charge smartphones, tablets, Nintendo Switch and many other USB-C devices with this Nedis 20W USB-C PD 3.0 Wall Charger, without requiring a PC or notebook.

| Technology | USB-C Power Delivery |
|----------------------------------|----------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 20 Watt |
| Supported Fast charge Technology | PD3.0 20W |
| Packaging dimensions | 140 x 80 x 50 mm |

○ WCPD20W102WTUK




Universal Wall Charger with quick charge

Charge smartphones, tablets, Nintendo Switch and many other USB-C devices, without requiring a PC or notebook, with this Nedis 18 W Quick Charge wall charger.

| Technology | Quick Charge |
|----------------------------------|------------------|
| No. of Ports | 1x USB-A |
| Output current | 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 18 Watt |
| Supported Fast charge Technology | QC3.0 18W |
| Packaging dimensions | 140 x 80 x 50 mm |

○ WCQC302AWTUK

13 - Mobility overview 2023





Universal Wall Charger (1.0A) with Micro USB cable

USB charger with one USB-A port, suitable for devices such as smartphones or tablets. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution.

Supplied with a 1-meter USB-A to Micro-USB cable so you can immediately start charging.

| No. of Ports | 1x USB-A |
|-----------------------|-------------------|
| Output current | 1.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 5 Watt |
| Cable Type | USB-A - micro-USB |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 30 mm |

• WCHAM105ABK



Universal Wall Charger (2.1 A) with Micro USB cable

USB charger with one USB-A port, suitable for devices such as smartphones or tablets. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution.

Supplied with a 1-meter USB-A to Micro-USB cable so you can immediately start charging.

| No. of Ports | 1x USB-A |
|-----------------------|-------------------|
| Output current | 2.1 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 10.5 Watt |
| Cable Type | USB-A - micro-USB |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 30 mm |
| | |

• WCHAM213ABK

◯ WCHAM212AWT



Universal Wall Charger with Lightning cable

^{Made for} **€** iPhone | iPad | iPod

USB charger with one USB-A port, suitable for devices such as smartphones or tablets. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution. Supplied with a 1-meter USB-A to Apple certified Lightning cable to charge your Apple iPhone or iPad.

| No. of Ports | 1x USB-A |
|-----------------------|-------------------|
| Output current | 2.4 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 12 Watt |
| Cable Type | USB-A - Lightning |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 30 mm |

◯ WCHAL242AWT

redus Universal Wal Charger with this Cualify with this Cualify with this Cualify the Cualify the Cualify the Cualify the Cualify the Cualify



WCHAC242AWT

Universal Wall Charger with USB-C cable

USB charger with one USB-A port, suitable for devices such as smartphones or tablets. The charger is not only ideal for usage at home or at work, but due to its small size also a perfect travel solution.

Supplied with a 1-meter USB-A to USB-C cable so you can immediately start charging.

| No. of Ports | 1x USB-A |
|-----------------------|------------------|
| Output current | 2.4 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 12 Watt |
| Cable Type | USB-A - USB-C |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 30 mm |

WCHAC242ABK



USB charger with one USB-C port, suitable for devices such as smartphones, tablets and many other USB devices. The 20 Watt charger works with USB Power Delivery technology, charging your device faster and more efficiently. The smart IC technology automatically detects the required current.

Supplied with a 1-meter USB-C to Apple certified Lightning cable so you can immediately start charging.

| Technology | Power Delivery |
|----------------------------------|-------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 20 Watt |
| Supported Fast Charge Technology | PD3.0 20W |
| Cable Type | USB-C - Lightning |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 30 mm |

○ WCPDL20W112WT

Nedis | Wall Chargers with cable



This Nedis USB-C PD3.0 compact wall charger allows you to charge a notebook but also other devices like smartphones, tablets or USB devices like Nintendo Switch. The 65 Watt charger works with USB Power Delivery technology for charging your device faster and more efficiently. The smart IC technology automatically detects the required current. Supplied with a 2-meter USB-C cable so you can immediately start charging.

| Technology | Power Delivery |
|----------------------------------|-------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.25 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 65 Watt |
| Supported Fast Charge Technology | PD3.0 65W |
| Cable Type | USB-C - USB-C |
| Cable length | 2.00 m |
| Packaging dimensions | 140 x 130 x 40 mm |

WCPD65W100BK



This Nedis USB-C wall charger allows you to charge smartphones, tablets, and many other USB devices. The charger is not only ideal for usage at home or at work, but due to its compact size also a perfect travel solution.

Supplied with a 1-meter fixed USB-C cable so you can immediately start charging.

| Technology | Quick Charge |
|----------------------------------|---------------------|
| Output current | 3.0 A |
| Input Voltage | 100 - 240 VAC |
| Max power consumption | 15 Watt |
| Supported Fast Charge Technology | QC3.0 15W |
| Cable Type | USB-C (fixed cable) |
| Cable length | 1.5 meter |
| Packaging dimensions | 140 x 80 x 50 mm |

WCHAC300ABK





Redis Groupser To sure reserved To construction to constructio

Universal Dual Car Charger to charge 2 device at once

This Nedis dual-port car charger you can charge two smartphones or tablets simultaneously. Thanks to it small size this is the perfect travel solution.

| No. of Ports | 2x USB-A |
|-----------------------|------------------|
| Output current | 2x 2.4 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 24 Watt |
| Packaging dimensions | 140 x 55 x 40 mm |

USB-C Car Charger with power delivery

This 20 W USB-C[™] Car Charger allows you to charge smartphones, tablets, Nintendo Switch and many other devices without requiring a PC or notebook.

| Technology | Power Delivery |
|----------------------------------|------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 20 Watt |
| Supported Fast charge Technology | PD3.0 20W |
| Packaging dimensions | 140 x 55 x 40 mm |

● CCHAU480ABK

CCPD20W101BK



USB-C Car Charger with power delivery

This Nedis 30 W USB-C 3.0 Car Charger allows you to charge any USB-C device from your car's power outlet. You can charge your device at high speed while you drive.

| No. of Ports 1x USB-C Output current Max 3.0 / Input Voltage 12 - 24 VI | |
|---|--------|
| | |
| Input Voltage 12 - 24 VI | A. |
| | DC |
| Max power consumption 30 Watt | |
| Supported Fast charge Technology PD3.0 30 | N |
| Packaging dimensions140 x 55 | (10 mm |

ССРДЗОЖО50ВК





Universal Car Charger with power delivery and quick charge

This 30 W USB-C Wall Charger allows you to charge smartphones, tablets, Nintendo Switch and many other USB-C devices without requiring a PC or notebook.

| Technology | Power Delivery |
|----------------------------------|----------------------|
| No. of Ports | 1x USB-A, 1x USB-C |
| Output current | Max 2x 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 30 Watt |
| Supported Fast charge Technology | PD3.0 30W, QC3.0 18W |
| Packaging dimensions | 140 x 55 x 40 mm |

CCPD30W100BK

Responsible Packaging



USB-C Car Charger with power delivery

This Nedis 45 W USB-C 3.0 Car Charger allows you to charge any USB-C device from your car's power outlet. You can charge your device at high speed while you drive.

| Technology | Power Delivery |
|----------------------------------|------------------|
| No. of Ports | 1x USB-C |
| Output current | Max 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 45 Watt |
| Supported Fast charge Technology | PD3.0 45W |
| Packaging dimensions | 140 x 55 x 40 mm |






Universal Car Charger with power delivery and quick charge

This 65 W USB-C Wall Charger allows you to charge smartphones, tablets, Nintendo Switch and many other USB-C devices without requiring a PC or notebook.

| Technology | Power Delivery |
|----------------------------------|-----------------------------|
| No. of Ports | 1x USB-A, 1x USB-C |
| Output current | Max 1x 3.25 A, Max 1x 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 65 Watt |
| Supported Fast charge Technology | PD3.0 65W, QC3.0 18W |
| Packaging dimensions | 140 x 55 x 40 mm |

● CCPD65W100BK





This Nedis Micro USB car charger allows you to charge any Micro USB device from your car's power outlet.

| Output current | 2.4 A |
|-----------------------|------------------|
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 12 Watt |
| Cable Type | fixed Micro USB |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 55 x 30 mm |

● CCHAM240ABK



USB car charger with one USB-A port, suitable for devices such as smartphones or tablets. Supplied with a 1-meter USB-A to Apple certified Lightning cable to charge your Apple iPhone or iPad.

| Technology | Power Delivery |
|----------------------------------|-------------------|
| Output current | Max 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 20 Watt |
| Supported Fast Charge Technology | PD3.0 20W |
| Cable Type | USB-C - Lightning |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 50 mm |

● CCPDL20W111BK



USB car charger with a fixed 1-meter USB-C cable to charge any USB-C device from your car's power outlet.

| Technology | Quick Charge |
|----------------------------------|------------------|
| Output current | Max 3.0 A |
| Input Voltage | 12 - 24 VDC |
| Max power consumption | 18 Watt |
| Supported Fast Charge Technology | QC3.0 18W |
| Cable Type | fixed USB-C |
| Cable length | 1.00 m |
| Packaging dimensions | 140 x 80 x 50 mm |

● ССНАСЗООАВК

| | | Predictor Sync and Charge Cable Building to Vite 4 and Prome Pad Pod Description Description Description Description | Predeo Predeo Since and Charge Cable Binders and to local Charge Binders Park Pool | rede | rede USB32CB1CB2 USB32CB1CB2 USB32CB1CB2 USB32CB1 USB32B1 USB3 |
|----------------------|--|---|--|--|--|
| Cable type | USB-A - micro-USB | USB-A - Lightning | USB-C - Lightning | USB-A - USB-C | USB-A - USB-C |
| USB version | USB 2.0 | USB 2.0 | USB 2.0 | USB 2.0 | USB 3.2 Gen 1 |
| Data transfer speed | 480 Mbps | 480 Mbps | 480 Mbps | 480 Mbps | 5 Gbps |
| Max. power | 12 Watt | 12 Watt | 60 Watt | 60 Watt | 60 Watt |
| Cable length | 1.00 m ● CCGB60500BK10 ○ CCGB60500WT10 | 1.00 m ● CCGB39300BK10 ○ CCGB39300WT10 | 1.00 m ● CCGW39650BK10 ○ CCGW39650WT10 | 1.00 m ● CCGB60600BK10 ○ CCGB60600WT10 | 1.00 m ● CCGW61600BK10 ○ CCGW61600WT10 |
| | 2.00 m ● CCGB60500BK20 ○ CCGB60500WT20 | 2.00 m ● CCGB39300BK20 ○ CCGB39300WT20 | 2.00 m ● CCGW39650BK20 ○ CCGW39650WT20 | 2.00 m ● CCGB60600BK20 ○ CCGB60600WT20 | 2.00 m ● CCGW61600BK20 ○ CCGW61600WT20 |
| | 3.00 m CCGB60500BK30 | 3.00 m 〇 CCGB39300WT30 | - | 3.00 m ● CCGB60600BK30 | - |
| Packaging dimensions | 140 x 55 x 30 mm 140 x 55 x 40 mm | 140 x 80 x 30 mm | 140 x 80 x 30 mm | 140 x 55 x 30 mm 140 x 55 x 40 mm | 140 x 55 x 30 mm 140 x 55 x 40 mm |

| | | And | rector USB-C* 32 Cent USB-C* 32 Cent USB-C* 32 Cent USB-C* | Visite of a 22 data USB of case USB of cas | Image: state in the |
|----------------------|--|---|--|---|--|
| Cable type | USB-A - USB-C | USB-C - USB-C | USB-C - USB-C | USB-C - USB-C | 2-in-1 Magnetic |
| USB version | USB 3.2 Gen 2 | USB2.0 | USB 3.2 Gen 1 | USB 3.2 Gen 2 | USB-A - USB-C/micro-USB |
| Data transfer speed | 10 Gbps | 480 Mbps | 5 Gbps | 10 Gbps | USB 2.0 |
| Max. power | 60 Watt | 60 Watt | 60 Watt | 100 Watt | - |
| Cable length | 1.00 m ● CCGW61650BK10 ○ CCGW61650WT10 | 1.00 m ● CCGB60700BK10 - | 1.00 m ● CCGB64700BK10 - | 1.00 m ● CCGW64750BK10 ○ CCGW64750WT10 | |
| | | - | 2.00 m ● CCGB64700BK20 - | - | 2.00 m ● CCGB60630BK20 - |
| Packaging dimensions | 140 x 55 x 30 mm | 140 x 55 x 30 mm | 140 x 55 x 30 mm 140 x 80 x 30 mm | 140 x 55 x 30 mm | 140 x 55 x 30 mm |

| | | | | | New |
|----------------------|---|---|--|---|--|
| | Vucdida Reside Silcone US 20 Cable Distance to 55-C+ and US 20 Distance US 20 Dis | rucedulo Flexible Since Synch and Charge cable Anti-alphnerg materies for state There i Pad i Pod 27 m 28 m 29 m 20 m 20 m 20 m 20 m 20 m 20 m 20 m 20 | rucaduo Peccho Silcone USB 2.0 Cable USB 2.0 | Produce Produce Revole Silcone USB 3.2 Gen 1 Cable District and to UBC 4" mark District and to UBC 4" mark Distric | Pacedato Pacedato Rexible Silcone USB 32 Gen 2 Cable Cable to USE (* mini- Pacedato Silvers) Cable Cab |
| Cable type | USB-A - USB-C | USB-C - Lightning | USB-C - USB-C | USB-C - USB-C | USB-C - USB-C |
| USB version | USB 2.0 | USB 2.0 | USB 2.0 | USB 3.2 Gen 1 | USB 3.2 Gen 2 |
| Data transfer speed | 480 Mbps | 480 Mbps | 480 Mbps | 5 Gbps | 20 Gbps |
| Max. power | 15 Watt | 27 Watt | 60 Watt | 60 Watt | 240 Watt |
| Cable length | 1.50 m ● CCGB60800BK15 ○ CCGB60800WT15 | 1.50 m | 1.50 m ● CCGB60820BK15 ○ CCGB60820WT15 | 1.50 m ● CCGB64800BK15 ○ CCGB64800WT15 | 1.00 m ● CCGB64810BK10 ○ CCGB64810WT10 |
| Packaging dimensions | 140 x 80 x 30 mm | 140 x 80 x 30 mm | 140 x 80 x 30 mm | 140 x 80 x 40 mm | 140 x 80 x 40 mm |

New

Wireless Charger up to 15W fast charging

With this Nedis wireless charging pad you can easily charge the latest iPhone models or other Qi-enabled devices wirelessly. It has an output power of 15 watts and supports fast charging, which will recharge your phone's battery in no time. The overcharge and overload protection ensure that your device does not receive too much energy.

medio Wreless Charger

110 USA

T

| Туре | Flat design |
|---------------------|-------------|
| Max. performace | 15 Watt |
| Max. Input Voltage | 5 Volt |
| Max. Input Current | 2 Amp |
| Max. Output Voltage | 9 Volt |
| Input connection | USB-C |
| Cable length | 1.00 m |

● WCHAQ15W110BK

27 - Mobility overview 2023



Wireless Magnetic Charger up to 15W fast charging

This Nedis portable magnetic wireless charger ring with USB-C connection allows you to deliver fast wireless charging of up to 15W for the latest iPhone models like iPhone 12 and later models. The charger is also compatible with all Qi-enabled devices.

| Туре | Flat design |
|----------------------|-------------|
| Max. performace | 15 Watt |
| Max. Input Voltage | 9V |
| Max. Input Current | 2.22A |
| Max. Output Voltage | 9V |
| Max. Output Current | 2A |
| Supported technology | Qi |
| Input connection | USB-C |
| Cable length | 1.00 m |
| | |



up to 15W fast charging

This Nedis portable magnetic wireless charger ring with USB-C connection allows you to deliver fast wireless charging of up to 15W for the latest iPhone models like iPhone 12 and later models. The charger is also compatible with all Qi-enabled devices.

| Туре | Desktop |
|----------------------|---------|
| Max. performace | 15 Watt |
| Max. Input Voltage | 9V |
| Max. Input Current | 2.22A |
| Max. Output Voltage | 9V |
| Max. Output Current | 2A |
| Supported technology | Qi |
| Input connection | USB-C |
| Cable length | 1.00 m |

WCHAQM200SI

WCHAQM250SI



Wireless Car Chargers including dual mount

This universal car smartphone holder is the ultimate solution for convenient and secure smartphone usage on the go.

With its fast charging capabilities of up to 15 Watts, you can stay powered up while navigating, streaming music, or making hands-free calls.

| Туре | With automatic closure |
|----------------------|------------------------------|
| Max. performance | 15 Watt |
| Max. Input Voltage | 5 / 9 / 12 Volt |
| Max. Input Current | 2 Amp |
| Supported technology | Power Delivery, Quick Charge |
| Input connection | USB-C |

● CCHAQ15W110BK



Wireless Car Chargers including dual mount

This universal car smartphone holder is the ultimate solution for convenient and secure smartphone usage on the go.

With its fast charging capabilities of up to 15 Watts, you can stay powered up while navigating, streaming music, or making hands-free calls.

| Туре | With a magnetic ring compatible with MagSafe |
|----------------------|--|
| Max. performance | 15 Watt |
| Max. Input Voltage | 5 / 9 Volt |
| Max. Input Current | 2 Amp |
| Supported technology | Power Delivery, Quick Charge |
| Input connection | USB-C |

● CCHAQM15W110BK



Multifunctional Alarm clock

supports 15 W wireless charging

- Nedis multifunctional wireless charging alarm clock
- Qi wireless charging enables you to recharge your Qi compatible device fast and safely
- Simply place your phone on the charging area and the charging begins
- For fast charging, you need to use the QC3.0 power adapter (not included)
- Extra USB-A port for charging another device
- Dual alarm for different wake-up times
- Snooze function for grabbing a few extra minutes and drifting off gently
- Dimmable backlight

Multifunctional Alarm clock supports 15 W wireless charging

- Nedis multifunctional wireless charging alarm clock
- Qi wireless charging enables you to recharge your Qi compatible device fast and safely
- Simply place your phone on the charging area and the charging begins
- For fast charging, you need to use the QC3.0 power adapter (not included)
- Extra USB-A port for charging another device
- Dual alarm for different wake-up times
- Snooze function for grabbing a few extra minutes and drifting off gently
- Built-in night light with 8 various colours
- Dimmable display





31 - Mobility overview 2024





Powerbank Fast charging with Power Delivery

Use this powerbank with 10,000 mAh capacity at home, in the office or when you are travelling to charge two devices simultaneously. It supports 18W USB-C[™] Power Delivery (PD) to fast charge your phone from 0-50% within 30 minutes and USB-C[™] devices from 0-50% in around 36 minutes.

| | nedis |
|-----------------------|--|
| | Powerbank Feet charging with Power Delivery |
| | |
| | - |
| | |
| | |
| | and a second |
| | 0 |
| | |
| | |
| | |
| and the second second | |

| Input | 1x micro-USB, 1x USB-C |
|----------------|------------------------------|
| Output | 1x USB-A, 1x USB-C |
| Input power | Up to 18 Watt |
| Output | 18 Watt |
| Technology | Power Delivery, Quick Charge |
| Battery status | LED indicator |
| Material | ABS (Black) |
| Capacity | 10.000 mAh |
| Dimensions | 137.5 x 68 x 16.5 mm |



Powerbank Fast charging with Power Delivery

Use this powerbank with 20,000 mAh capacity at home, in the office or when you are travelling to charge two devices simultaneously. It supports 18W USB-C[™] Power Delivery (PD) to fast charge your phone from 0-50% within 30 minutes and USB-C[™] devices from 0-50% in around 36 minutes.

| Input | 1x micro-USB, 1x USB-C |
|----------------|------------------------------|
| Output | 1x USB-A, 1x USB-C |
| Input power | Up to 18 Watt |
| Output | 18 Watt |
| Technology | Power Delivery, Quick Charge |
| Battery status | LED indicator |
| Material | ABS (Black) |
| Capacity | 20.000 mAh |
| Dimensions | 137.5 x 68 x 16.5 mm |

Responsible Packaging

Nedis Powerbanks

New

Powerbank Fast charging with Power Delivery

Use this powerbank with 30,000 mAh capacity at home, in the office or when you are travelling to charge two devices simultaneously. It supports 20W USB-C[™] Power Delivery (PD) to fast charge your phone from 0-50% within 30 minutes and USB-A devices from 0-50% in around 36 minutes.

| Input | 1x micro-USB, 1x USB-C |
|----------------|------------------------------|
| Output | 1x USB-A, 1x USB-C |
| Input power | Up to 18 Watt |
| Output | 20 Watt |
| Technology | Power Delivery, Quick Charge |
| Battery status | LED indicator |
| Material | ABS (Black) |
| Capacity | 30.000 mAh |
| Dimensions | 141 x 68 x 41 mm |

New

UPBKPD30000BK





This high-capacity Powerbank is the ultimate solution for your on-the-go charging. With its fast-charging capabilities, you can now charge your USB-C laptop or MacBook in no time.

Not only that, this powerbank can also be used for charging phones and tablets via USB-C and USB-A ports. It comes equipped with one 65W USB-C[™] port (for Power Delivery) and one 18W USB-A[™] (for Quick Charge), enabling you to charge two devices simultaneously.

| Input | 1x micro-USB, 1x USB-C |
|----------------|------------------------------|
| Output | 1x USB-A, 1x USB-C |
| Input power | Up to 45 Watt |
| Output | 65 Watt |
| Technology | Power Delivery, Quick Charge |
| Battery status | LED indicator |
| Material | ABS (Black) |
| Capacity | 32.000 mAh |
| Dimensions | 141 x 68 x 41 mm |

UPBK65W30000BK

Nedis SmartLife, the easiest way to your Smart Home



Nedis.com/SmartLife

Powered by tuyດີ

23

 $(\mathbf{1})$